



Small Equipment Guide 2018



Quality Products for Better Health Care

Equipment is vital to the success of your dialysis clinic and the health of your patients.



DIGITAL FLOOR SCALE



Compact digital floor scale with a large backlit LCD display. Weighs accurately in both lb and kg, up to 400 lb (200 kg). Features antislip feet and a low profile for added safety. Automatically turns on. Includes 1-year warranty.

14" x 11%" x 1'

(112-7153)..... ea

Health o meter **Digital Scale**





Capacity: 390 lb x ½ lb (136 kg x 0.2 kg)

5-year limited warranty

(110-7427).....ea

Digital Floor Scale

A timeless beauty, with perfectly executed curves, clear LC display, and AUTO-HOLD function. It embodies grace, convenience, and precision.



- Capacity: 308 lb, (140 kg)Graduations: 0.2 lb (100 g)
- Weight: 4½ lb
- Power supply: 2–3-V batteries (included)
- 1-year warranty

#803

(109-2860).....ea



Health o meter®

Digital Dual Ramp Wheelchair Scale #2610KL

- Capacity: 1000 lb/454 kg
- Resolution: 0.2 lb/0.1 kg
 Platform size: 2½"H x 36"W x 32¼"D
 Ramp size: 32¼"W x 9½"D
 Display: ¾" LCD, 180° swivel

- Wheels: 4
- Connectivity: USB
- Power source: 110–240 volt adapter included; uses 6 AA batteries (not included)
- Functions: lb/kg conversion, lb/kg, lock out, body mass index (BMI), zero out/tare, hold/release, re-weigh, auto zéro, auto off

#2610KL

(117-2179).....ea

Health o meter

Digital Wheelchair Ramp Scale #2650KL

Capacity: 1000 lb/454 kg
Resolution: 0.2 lb/0.1 kg

Connectivity: USB

- 34" LCD display, can be wall-mounted or placed on flat surface
- Functions: lb/kg conversion, lb/kg lockout, body mass index (BMI), zero out/tare, hold/release, re-weigh, auto zero, auto off Platform: 2"H x 31½"W x 31½" D
- Dual ramp size: 10"L x 31¼"W
- 2 wheels for ease of movement
- 110-240-volt adapter included, uses 6 AA batteries (not included)

#2650KI

(117-6183).....ea

Welch Allyn[®]

Scale-Tronix® Flush Mounted In-Floor Scale



For wheelchair, chair, and stand-on weighing
Level with floor to help reduce fall risk and

- improve ease of access

- Bright, easy-to-read display
 Weighing capacity: 825 lb/375 kg
 Platform: anodized aluminum, 32" x 36"
- · Digital LED display in lb and kg, or kg only
- Surface or flush mounted
- 110 volts AC with rechargeable battery backup Allows for a uniform, finished-looking installation
- Printer: built-in, paper tape, uses standard thermal paper
- Resolution: 0.1 lb/100 gm
- Automatically returns to zero, ready for next patient
- Recalls last weight
- Recomputes patient's weight while patient is on
- · Computer capability: RS-232 output (optional) #6102-XXF-B

(566-0578).....ea

Health o meter

Digital Wheelchair #2600KL



Capacity: 1000 lb/454 kg

Resolution: 0.2 lb/0.1 kg
 Platform size: 2½"H x 36" W x 32½"D

Ramp Size: 9%"L x 321/4"W Display: 3/4" LCD, 180° swivel

Wheels: 4

Connectivity: USB

Power source: 110-240-volt adapter included, uses 6 AA batteries (not included)

Functions: lb/kg conversion, lb/kg lock out, body mass index (BMI), zero out/tare, hold/release, re-weigh, auto zéro, auto off

#2600KL

(605-8217).....ea

doran^a

Digital Chair Scale

Can weigh patients up to 550 lb and display the weight on an easy-to-read LCD display

- The 4 full swivel wheels with locking mechanism
- Anti-tip bar on the bottom of the footrest arm
- Large footrests can be folded and down
- · Padded armrests fold up and down
- Powered by the included 6 AA batteries that last for more than 85,000 weighings
- · Can also be powered by the included AC adapter
- EMR-ready—data can be transmitted via either the included USB or RS-232 ports #DS8150

11 2 3 3 3 3	
(119-4854)	ea

Health o meter Mechanical Beam Scale

Maximum-strength, steel base-and-lever system. Features rotating, easy-to-read poise bars with engraved, long-lasting readings in lb/kg increments.

- Capacity: 500 lb (200 kg)Optional wheels for easy mobility
- Powder-coated, nonrusting scale
- 10-year warranty

#402KL

(120-1678)..... ea



ProMed Scale

- Displays height, weight, and BMI simultaneously by simply raising the digital height rod while a patient is being weighed on the scale
- No keys to push, no operational sequences to memorize—it's fully automatic
- The 6854DHR is EMR-ready with its serial and USB ports
- 600-lb capacity, height rod 43"-79" #6854DHR


(114-1550)..... ea



Eye-Level School Beam Scales


Features a height rod in inches and centimeters, and wheels in back for easy transport. Platform cover is easily removed for cleaning.

- Capacity: 400 lb x 4 oz
- Platform size: 10½" x 14½" (267 mm x 368 mm)
- Height rod measurés: 30"–78" (76 cm-198 cm)
- Scale height: 59" (1.5 m)





SureTemp® Plus 690 Electronic Thermometer



- Interchangeable, removable probe wells to reduce the risk of cross contamination
- Large LCD that can display temperatures in Fahrenheit or Celsius
- Last-temperature recall
- Mode selection and recall buttons
- Four different temperature modes
- Convenient storage for 25 probe covers Takes about 6000 readings on 3 AA batteries

Thermometer, with Oral Probe, Well, and 4-ft Cord (203-3856).....ea Thermometer, with Wall Mount, Oral Probe, Well, and 4-ft Cord (178-8374)..... ea Thermometer with Wall Mount, Oral Probe, and 9-ft Cord (454-2689).....ea Probe Covers Wall Holder Mount for Thermometer (206-8985).....ea Oral/Axillary Probe, Well, and 9-ft Cord (695-8954).....ea Rectal Probe, Well, and 4-ft Cord (741-8045)..... ea

✓ HENRY SCHEIN®

PRO SERIES DIGITAL THERMOMETER


- Compact size—under 5" long; weighs just 11 g
- Auto-off function conserves battery life
- Range 90°F–109.9°F ±0.2°F / 32°C–43.9°C ±0.1°C
- Replaceable 1.55V (LR41) battery provides 1,500 measurements
- Plastic scabbard-style case keeps instrument sanitary
- Unit complete with 5 sheaths

#413HS, Thermometer

(900-4856).....ea #1009361, Probe Covers for Digital Thermometers (100-9361)......100/box



Filac™ 3000 **EZ Electronic** Thermometer



accuracy reading in under 6 seconds Compact, robust, user-friendly design will stand upright on a flat surface

Intuitive icon-based interface system with backlit LCD readout

- Unique progress bar indicates status of temperature measurement
- Last-temperature-recall function
- Push-button probe cover ejection
- Patented isolation chamber design and durable probe covers minimize cross contamination Operates on 4 AA batteries for 6000
- measurements
- · Equipped with self-calibrating electronics and auto on/off function
- 1-year full manufacturer warranty Oral Thermometer

(110-3415).....ea Probe Covers (110-3414)......2000/box



MedSource

Non-Contact Infrared **Thermometer**

Specially designed to take a human body temperature while never touching the patient. Uses an infrared detection system and displays temperature on a backlit screen



- Measures body temp, ambient temp and surface temp
- · Audible alarm if temp is too high
- 32-reading memoryCelsius or Fahrenheit reading
- Instantaneous reading
- 2 AA batteries (included)

MS-131000

(700-0646).....ea

5.000

EXERGEN

TAT-2000 Temporal Thermometer

The temporal artery, easily visible in an infrared image, is scanned to find the peak temperature. The patented Arterial Heat Balance (AHB)™ method converts this peak to a core temperature by replacing the heat lost from natural cooling of the skin.



 Allows the choice of using disposable covers, full sheath, or cleaning between patients with a disinfectant wipe

#140001, TAT 2000 Thermometer	
(332-1736)	ea
#134203, Probe Caps	
(491-5611) 1000	O/box
#134202, Probe Cap Dispenser	
(674-2146)	ea
#128800, Probe Covers	
(929-5960)	O/box
#124375, TAT-5000	
(491-5311)	ea

Welch Allyn[®]

CareTemp™ Touch Free Thermometer

- Infrared sensor reads temperature 4 cm-6 cm from center of forehead
- 60-second pulse timer, memory recall button, C/F scale conversion button
- · No patient skin contact required, helps
- minimize the risk of cross contamination · Measurement feedback system detects
- proper operating distance for accuracy
 Large, backlit LCD display is intuitive and easy to read
- Takes approximately 3,000 readings on 2 AAA batteries
- · 2-year device warranty

#105801, Thermometer

(672-0174)	еа
#105802, Battery	
(672-0173)	a



COVIDIEN

Tympanic Thermometer



(106-6433).....

✓ HENRY SCHEIN®

DIGITAL EAR THERMOMETER

- · For professional or personal use
- Instant reading results in 1 second
- · Memory feature recalls last reading
- Fever alarm
- · Low battery indicator
- · Replaceable lithium battery
- °F or °C measuring mode

· Box includes 15 disposable probe covers Digital Ear Thermometer

(900-6438).....ea Digital Ear Thermometer Probe Covers (900-6439)......150/box




Braun ThermoScan® PRO 6000 Ear Thermometer

Lightweight, simple, fast, and accurate. Preheated probe tip and sensor provide reliable temperature readings. Has automatic probe-cover eject button for adionate probe-cover eject buttorn of quick-and-easy disposal of used probe covers. 3-year limited warranty.

• Innovative PerfecTemp™ technology adjusts for variability in probe placement

• ExacTemp™ technology detects stability



of the probe during measurement

 Designed to take quick and accurate readings, to improve patient satisfaction

• 60-second pulse timer assists with manual measurement of pulse rate and respiration

Small or large cradles for probe cover storage that pop up for easy attachment

Optional charging station stores 200 probe

covers, with rechargeable battery

 6-ft or 9-ft security tether options keep device attached to cradle

Thermometer (124-3558).....ea #05075-005, Probe Covers



HealthSmart® DigiScan™ Multifunction **Thermometer**

· Infrared technology instantly reads body temperature

 Forehead read for accurate. noninvasive method that is ideal for minimizing disturbances while patient is sleeping

• Ear read is precise and easy to use with the simple press of a button


Talking Function Audio readings in multiple languages (English, Spanish, French, German, Italian, and Russian) to assist user in identifying temperature

 Compact and easy to hold, with large, backlit LCD screen

LED fever alarm indicator and 30-reading memory storage

 Date and time display and Fahrenheit/Celsius switchable #18-935-000

(151-0053)..... ea





OTOSCOPE SPECULUM TIPS

- These disposable tips are carefully manufactured to be free of rough edges or burrs
- They are designed for a snug fit on Welch Allyn®, Propper™, and Heine™ otoscopes
 They will not fit the Welch Allyn® Macroview™



4.0 mm	
(112-5528)	1000/bag

WelchAllyn^{*}

3.5-V Ophthalmoscope Heads

#11710, Standard Ophthalmoscope For true tissue color and consistent, long-lasting illumination.

(566-7562)..... Contains: 1 halogen HPX™ light, 6 apertures, cobalt blue & polarizing filters & 28 lenses (-25 to +40 diopters).

#11720, Coaxial Ophthalmoscope For shadow-free spot and easier entry into undilated pupils.

(566-8512)..... Contains: 1 halogen HPX[™] light, 6 apertures, cobalt blue & polarizing filters & 28 lenses (-25 to +40 diopters).



WelchAllyn[®]

97100-M Diagnostic Set

3.5 V (566-1543)...
Contains: 1-#23820 MacroView™ otoscope with throat illuminator, 1-#11710 3.5-V halogen ophthalmoscope, 1-#71000-A rechargeable 3.5-V handle, 4 reusable

specula, & 1-#05259-M hard case.



KleenSpec® Disposable Otoscope Specula

Diagnostic Type.....850/bag Specify: #52432-U, 2.75 mm.....(566-1679) #52434-U, 4.25 mm.....(566-5113)



Welch Allyn^{*}

MacroView™ **Otoscope** Head

Easy-to-use otoscope that features advanced optics for increased magnification and nearly a full view of the

tympanic membrane. This virtually eliminates the need for panning and simplifies seeing past wax and locating fluid behind the eardrum. #25070-M

(566-7772).....ea Contains: 1–23810 MacroView[™] otoscope, 1–71000-A power handle, 4 reusable specula, & 1–05259 hard case.

#23810. Head Only (148-8746)..... ea

#23820, Head with Throat Illuminator **(795-6720)**.....ea #23810PAN, Head for MacroView™ Otoscope and

PanOptic™ Ophthalmoscope Combo Unit (566-9118)..... ea

Welch Allyn^{*}

Green Series™ 777 Integrated Wall System

- · Standardize your facility with a sturdy, predrilled mounting board that mounts easily to any wall
- Help improve workflow with contoured handles that automatically turn on/off
- Durable, easy-to-clean, high-impact ABS housing

#77791-1MPX, With PanOptic Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board (672-0016).....ea

#77791-2MPX, With PanOptic, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board (672-0018).....ea



#77791-MX, With Coaxial Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board (118-3650)..... ea #77791-MXNOBP, With Coaxial Ophthalmoscope, MacroView Otoscope, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board (672-0020).....ea #77710, With Specula Dispenser (672-0015).....ea

NURSE STETHOSCOPES

- Offers dependable acoustics and flexible 22" Y-tubing
- Has an adjustable aluminum dual-head chest piece with an adjustable chrome-plated brass binaural
- Spare ear tips and diaphragm included
- Not made with natural rubber latex






✓ HENRY SCHEIN®

PRO SERIES SPRAGUE SCOPE

Threaded chest-piece drum of chrome-plated zinc permits the use of 5 interchangeable



- Double-tube configuration on traditional model; single tube on 1-tube design
- · Proprietary valve mechanism eliminates acoustic leakage
- Adjustable chrome-plated brass binaurals
- Convenient 22" tubing length
 Inspected and packaged in the USA
- Not made with natural rubber latex
- 5-year warrantyWeight: 8 oz
- Overall length: 30"

Pro 2-Tube Sprague.....ea Specify:

Neon Orange (900-4824) Black (900-4822)(900-4823) Royal Blue (900-4825)

Contains: 1 accessory pouch, bell chest pieces, 1 chest-piece key, 2 spare diaphragms, 1 pair of mushroom ear tips & 1 pair of silicon ear tips.

Pro 1-Tube Sprague, Black

(900-4826).....ea

✓ HENRY SCHEIN® **PRO PLUS SERIES PROFESSIONAL** STETHOSCOPE



Combination adult-size chest piece is precisely machined to exacting tolerances from surgical stainless steel for outstanding performance and rugged durability

Extra-large bell (1%" diameter) for unsurpassed low-frequency response

 Ultrasensitive diaphragm (1% diameter) for greater amplification and crisper high-frequency response

· Color-coordinated nonchill bell and diaphragm retaining rim for patient comfort

 Stainless steel binaurals with double-leaf internal spring fixed at 15° angle for greater comfort Reinforcing yoke molded into flexible 22" PVC

"Y" tubing

• Deluxe PVC ear tips (in small and large) for the

- ultimate in wearing comfort and acoustic seal
- Spare diaphragm included
- Available in 3 striking colors for departmental coding or personal identification
- Not made with natural rubber latex
- Scope ID tag included
- Lifetime warranty
- Weight: 6.5 oz
- Overall length: 31"

Stethoscope.....ea Specify:

Black (900-4815)Burgundy

(900-4816)

Navy (900-4817)

✓ HENRY SCHEIN® **PROTECTIVE STETHOSCOPE**

BARRIERS AND

DISPENSER



Disposable stethoscope barriers prevent the transmission of pathogens between stethoscope and patient

Eliminate the need to clean stethoscope with alcohol pads between patients

Reduce patient's risk of getting an infection from a contaminated stethoscope

Single-use, one size fits all

The dispenser holds 1 roll of 500 barriers

Barriers, 500/roll (570-0036)...... 3 rolls/pkg

Dispenser (570-0037).....ea



Stathaccono



Sprague Stethoscope

• Features a double-tube configuration that

reduces a double-to-be comparation that provides improved acoustics
Set includes an adult and pediatric diaphragm and 3 bells (1", 11/4", and 13/4") for accurate detection of high, middle, and low frequency sounds in adults and children

Stethoscope is 22" long and has an adjustable, chrome-plated brass binaural

Stethoscope	ea
Specify:	
#MS-STBK, Black	(499-2487)
#MS-STBLU, Blue	(499-5138)
#MS-STG, Green	(499-5139)
#MS-STR, Red	(499-5140)
#MS-STY, Yellow	(499-5141)

3M Littmann Lightweight II S.E. Stethoscopes

General-purpose, entry-level stethoscope

Used for basic blood pressure and limited physical assessment

• Bell-diaphragm chest piece provides clear, reliable acoustic performance

· Chest-piece shape is designed for better orientation around blood-pressure cuffs and body contours

· Lightweight design

· Ear tips provide a comfortable fit and a better seal to reduce ambient noise and improve acoustics

· Anatomically angled headset

28" Tube	ea
Specify:	
#2450, Black	(777-6732)
#2454, Ceil Blue	(777-9057)
#2451, Burgundy	(777-4011)
#2453, Lilac	(777-9236)
#2452, Caribbean Blue	(777-5057)
#2455, Seafoam Green	(777-7178)

To Fax: 1-800-372-5702 24 Hrs


VITAL SIGNS/BLOOD PRESSURE MONITORING

WelchAllyn[®]

Spot Vital Signs™

- Fast and accurate: completes noninvasive blood pressure (NIBP), pulse rate, temperature, and SPO₂ in about 30 seconds
- Multiparameter and modular so user can select precisely the vital signs parameters they need

 • Fully upgradeable to meet changing needs
- Big, bright, easy-to-read LCD screen







 Clinical-grade Advantage[™] BP technology from SunTech Medical

 Contemporary, compact design with an integrated handle and easy-to-read display

Manual blood pressure mode for real-time verification

Customizable average mode options
 Next-generation EMR-ready with HL7

messaging for electronic data transfer

Network-enabled with built-in Ethernet or optional Wi-Fi

 Lithium-ion power for longer-lasting battery life and a lighter weight

Built-in memory with up to 99 charting sessions

 New Pediatric Mode to ensure accurate measurements for younger patients

Firmware upgradable

#9005BP, ADView 2 BP
(126-9887) ea
#9005M, Mobile Stand with Basket
(126-7176) ea
#9005CKA, Adult BP Cuff Kit (Adult, Small Adult,
Large Adult)
(127-1472) ea






- Easy to use for up to 4 users
- Stores 60 measurements per user in memory
- Displays average of all measurements
- Clock display with date-and-time stamp for logging and trending measurements
- Indicates an irregular heartbeat (IHB) during a measurement
- · Pressure rating indicator classifies blood pressure in accordance with medically approved standards
- Body-movement sensor guides user to remain still during measurement
- Cuff fit error prevents inaccurate measurements by alerting user when the cuff is too loose
- Easy-to-use, wide-range cuff fits most arms (8.6"-16.5")
- Gentle inflation enables a more comfortable measurement
- · Includes carrying case and an AC adapter #UA-767FAC (258-0181)..... ea

WelchAllyn[®]

ProBP 2400 Digital Blood Pressure Device



Irregular heartbeat detection provides data to assist in making testing decisions
Manual Mode allows the device to serve as a

digital gauge when auscultation is indicated

Microprocessor-controlled deflation rate provides consistent technique

Built-in folding handle allows the user to carry it safely and comfortably

#2400, ProBP 2400

(672-0180).....

Contains: ProBP 2400 Device with 2,400 mAh NiMH battery installed, 1 adult cuff, 1 large adult cuff, 1 power supply with 4 mains blade adapters (US, UK, EU, AU), directions for use CD & calibration certificate.

OMRON:

3 Series[™] BP710 Upper Arm Blood **Pressure Monitor**



 Memory storage Irregular heartbeat detector

Uses 4 AAA batteries (not included)

#BP710N

(635-0274).....ea





Blood Pressure Monitor, Digital

- Stores 90 measurements in memory
- Displays average of all measurements
- Memory recall
- Clock display with date and time stamp for logging and trending measurements
- Indicates an irregular heartbeat (IHB) during a measurementw
- Pressure rating indicator classifies each blood pressure in accordance with medically approved standards
- Easy-to-use small cuff
- Gentle inflation enables a more comfortable measurement
- Includes an AC adapter
- Manually enter measurements into the A&D Connect mobile app to track history #UA-767PSAC

(258-0171).....ea

ANEROID DELUXE BLOOD PRESSURE CUFF



- Contemporary black enamel, 300mm-Hg, CE-marked, no-pin stop manometer
- Nylon cuff with proprietary Size Guide[™] marking system prevents miscuffing
 Dip-molded latex inflation bladder withstands
- heavy use
- Chrome-plated brass air-release valve
- · Leatherette carrying case with durable nylon zipper
- Assembled, inspected, and packaged in the USA from foreign components

Non-latexea
Specify:
Small Adult (112-6064) Large Adult, Black (112-6066)
Adult, Black(112-6065)

✓HENRY SCHEIN®

THE ESSENTIALS SERIES POCKET **ANEROID**

Navy, Latex Features:

- Black enamel, 300mm-Hq. no-pin stop manometer
- · Navy blue nylon cuff with range markings to facilitate selection of correct cuff size, artery label, and gauge holder
- Latex inflation bladder and bulb
- Chrome-plated deflation valve
- Complete with leatherette zippered carrying
- case and operating instructions

 Inspected and packaged in the USA from foreign components

Aneroid.....ea Specify: Child (112-6076)Large Adult (112-6080)

(112-6077) Adult



✓ HENRY SCHEIN®

PRO PLUS SERIES PALM ANEROID

This revolutionary palm-style manometer (#804) has an integral bulb and trigger-style air release valve for one-hand convenience

valve for one hand convenience.	
Large Adult	
(112-6086)e	a
Adult	
(112-6088) e	а

Features:

- Precision-crafted, 300mm-Hg, CE-marked, no-pin stop movement tested to 50,000 cycles
- Movement housed in a zinc safety cage for unsurpassed durability
- Ambidextrous infinite control trigger-release air valve
- Nylon cuff with proprietary size guide marking system, to prevent miscuffing
- Not made with natural latex rubber
- · Dip-molded inflation bladder withstands heavy use
- Quick-release Luer-slip connector
- Complete with leatherette carrying case with self-repairing nylon zipper
- Assembled, inspected, and packaged in the USA from foreign components

Large Adult (112-6092)..... ea Thiah

(112-6091)..... ea

MedSource

Blood Pressure Cuff Barrier

This single-use, sleeve-like barrier protects patients from contaminants. It is made of a nonwoven polypropylene and has elastic ends.



(499-8147)...... 500/case

WelchAllyn^{*}

8

FlexiPort Reusable 1-Piece **Blood Pressure Cuffs**

- · Primary sizes are color coded to make it easy to find the proper cuff size
- · Easy, one-hand attachment/detachment of tubing with FlexiPort makes changing cuffs much faster and easier
- · Not made with natural latex rubber material, minimizes risk of allergic reactions
- Rotatable port reduces stress to cuff tubing and port, improving patient comfort and cuff durability
 • Folded edge reduces risk of cuts and scrapes,
- maximizing patient comfort
 Meets all the latest clinical guidelines from AAMI and AHA for proper fit



Size 9. Child (110-3150)..... #REUSE-10-1TP, Size 10, Small Adult (110-3162)....ea #REUSE-11-1TP, Size 11, Adult (110-3171).....ea #REUSE-12-1TP, Size 12, Large Adult (110-3206)..... ea REUSE-13-1TP, Size 13, Thigh (110-3603)..... ea

To Fax: 1-800-372-5702 24 Hrs

FINGERTIP PULSE **OXIMETER**

- · Adult and pediatric use: ideal for all specialties
- Range for SpO₂: 70%–100%
 Range for pulse: 30–235 bpm
 Dual-color LED with display modes and brightness control
- Includes pulse bar and plethysmogram
- Visual and audible low-battery alarm
- 2 AAA alkaline batteries with 30 hours of continuous use
- Electromagnetic compatibility

(900-6368)ea	1
-----------------------	---



Tested in motion, this lightweight (2-oz) oximeter gives accurate réadings on challenging patients with low perfusion and darker skin tones

• Cost-efficient: performs up to 6,000 spot checks on 2 AAA batteries and carries a 4-year warranty

#8340-001, Blue
(117-6262)ea
#8340-004, Black
(499-9104)ea

MedSource

Fingertip Pulse **Oximeter**



- This easy-to-read, 2-color OLED display makes monitoring clear and simple
- The automatic switch-off feature preserves battery life
- Suitable for adults and pediatric patients

#MS-74002 (**499-4744**).....ea



MedSource Handheld Pulse Oximeter

- High resolution, 2½" TFT screen displays SpO₂
- PR waveform and pulse bar
- Adjustable audible and visual alarms
- Low-battery indicator
- Adjustable back light and voice
- Automatic power-off function
- 127-ID setup
- 72-hour data storage and review
 - MedView software for data analysis
- 3 AA batteries included
- Bluetooth, charger stand, and AC/DC adapter are optional

#MS-74012

(499-8558).....ea





TRUE METRIX® PRO Meter and Strips

HENRY SCHEIN

From A Name You Can Trust.

TRUE METRIX® PRO METER

- No codina
- Tiny, 0.5-µL sample size
- Stores 500 results
- · As fast as 4 seconds
- BG range: 20-600
- Data management
- · Download capabilities
- · Glucose control detection
- · Strip-release button

#RE4099P-43

(570-0329)..... ea

Contains: True Metrix® Pro meter & 10 test strips.

TRUE METRIX® **PRO STRIPS**

Advanced technologies—the meter, a complex algorithm, chemistry, and electrodeson the test strip work together as part of the True Metrix® Pro system to produce accurate results. Featuring Triple Sense Technology[™], the system provides proven accuracy and confidence in results.



- · No-coding technology eliminates need for coding of meter
- · Code is assigned during manufacturing process
- · Code is printed onto contacts on end of test
- Meter reads code on insertion #R3099P-450

(570-0327).....50/box



RELY ON US FOR QUALITY, SELECTION, PERFORMANCE, AND VALUE!



GLUCOSE MONITORING





EmbracePRO™ Glucometer

Professional Blood Glucose Meter

- · Easy to use
- Test strip release button
- Auto coding
- · Fast-results in 5 seconds
- Approved for multipatient use

 Test with less pain
- Small sample size: 0.5 µl
- · Alternate site testing: fingers, palm or forearm
- Manage your results
- 500-test memory with time/date stamp
- Event Recording Mode for more effective data

management	
#ALL01AM0200, Glucometer	
(240-0042)	ea
#ALL02AM0202, Test Strips	
(240-0043)	50/box
#ALL02AM0210, Control Solution Hi/Lo	
(240-0044)	ea
` '	



H Blood

FreeStyle



Glucose Monitoring System

- Used for whole blood: arterial, venous, fingertip capillary, and neonates
 Simple 2-step testing
- 0.6-µL sample size, 20-second test time for
- glucose Top- or end-fill provides easy sample application with visual confirmation
- Fill trigger ensures reaction starts only when enough blood applied
- Individual foil-wrapped packageProven accuracy with GDH-NAD chemistry
- Minimizes potential interfering effects of common madications and substances

common medications and substances
#71181-70, Freestyle Precision H Meter
(657-0005) ea
#8011670, Freestyle Precision H Strips

(657-0004)	100/box
#80139-04, High/Low Control Solution	
(657-6290)	2 viale

Bayer 📳

Contour® Blood Glucose Test Strips and Level Controls

 Cleared for multiple-site testing, which means more choice

- No coding required
- Automatic underfill detection, control marking, temperature control
- Small sample size (0.6 μL)
- Quick testing time—results in 15 seconds
- Saves information for up to 240 tests with time and date

50/vial
ea

CPT® Code: 82962QW



Abbott Point of Care

i-STAT® Handheld **System**

This fully automated system provides accurate results in minutes for a wide range of tests using just 2 or 3 drops of blood. #04J60-20, iSTAT Handheld System (111-3324).....ea

Contains: analyzer, printer, simulator, downloader & manual.



DAVER

Contour

Chemistry Tests (CLIA Waived)—Results in 2 Minutes

#09P31-25, CHEM 8+: Na, K, Cl, iCa, TCO2, Glu, BUN/Urea, Crea, Agap*, Hct, Hgb* (*Calculated)25/box (631-0047)..... #03P81-25, EC4+: Na, K, Glu, Hct, Hgb* (*Calcu-(111-3391)......25/box

Coagulation Tests—Results in 17 Minutes (PT/INR Results in 5 Minutes) #03P89-24, PT/INR: Prothrombin Time (111-3385).....

.....24/box #03P86-25, Celite ACT (111-3409)......25/box



CoaguChek XS® System

PT/INR Monitoring Solution

The next generation in point-of-care prothrombotin (PT) and international normalized ratio (INR) testing.

- CLIA waived
- Neutralizes therapeutic levels of heparin and LMWH
- INR corrected for hematocrit within specified range; manage a broad array of patients with a single device
- Small sample size (10 μL) for easy dosing
- Strip allows dosing from either top or side for simple blood application

- Small, battery-powered, handheld meter for portability and efficiency
- New onboard controls; no external QC necessary Auto-on with strip insertion and auto-off capabilities
- 18-month strip shelf life; no refrigeration needed
- Made in the USA

#04837975001, XS® System (891-0581)..... #04625315160, Strips for XS & XS Plus Meters Contains: 24 strips per bottle, 2 bottles per box. #04625382160, Controls, Hi & Lo (109-9989)..... ea

To Fax: 1-800-372-5702 24 Hrs



SSCOR

S-SCORT® III Portal Suction Unit



The standard in many EMS agencies. It provides all of the power and versatility necessary to quickly and effectively clear an airway, weighs only 7 lb, and is economical to purchase and maintain. Despite its weight, it can stand up to the rigors of the most active EMS service. Components are encased in protective foam for exceptional protection and durability. Delivers >30 lpm clinical airflow. Vacuum is regulated by a 2-position regulator, allowing the operator to choose between full power, >525 mmHq, and reduced power, 120 mmHg (+/- 15%) for endotracheal and pediatric suction procedures. Device is powered by an internal sealed lead-acid battery, which is maintained by an AC/DC charger or a DC power cord. Shipped "ready to use," and the built-in pouch accommodates patient tubing, catheters, and other supplies.

- · Lightweight, durable, and portable suction device
- Vinyl-coated nylon-over-foam construction
- Inexpensive to purchase and maintain
- · Powered by rechargeable, sealed lead-acid batteries
- Clinical airflow: >30 lpm
- 2-position regulator provides a vacuum selection of >525 mmHg or 120 mmHg (+/- 15%)
- 1-year warranty

#74000

(700-2488).....ea Contains: 1 of each: canister with 2-meter patient tube, dual-mode charger, DC power cord, Hi-D® suction tip & quick-start guide.



Schuco-Vac® 310 Aspirator

Regular assembly has been replaced with a bacteria filter,

eliminating the cap-and-float assembly. Filter prevents fluids and other contaminants from damaging pump. This durable unit continues to meet the need for controlled vacuum regulation from 0" up to 22" Hg with a flow rate of 28 lpm. Standard features include:

- · Bacteria filters (3 included) prevent contaminant damage
- Vibration-free, easy-to-read regulator gauge
- Wire basket accommodates a variety of canisters
- · Quick-connect tubing for all connections
- Hydrophobic filter eliminates head flooding, the most common cause of pump damage

#S130A, Aspirator, with 1200-cc Canister (115 V/60 Hz)

(268-7332)..... #S1160RPL, Replacement Canister, Plastic, 1200 cc

(141-2411)......4/case

Suction Tubing Kit

 Contains 2 blue-tipped tubes, ¼" inner diameter: 1-13" long, 1-72" long



#S610100 (120-6311).....ea

MADA

Madavac 172BS **Aspirator**

 Bacteria filter prevents contaminant damage

Vibration-free, easy-to-read gauge

Quick-connect tubing for all connections
 Draws up to 22" Hg (560mm Hg) with a flow rate

of 28 lpm Large 800cc collection bottle with overflow cutoff

Carrying handle for easy portability
Quiet yet powerul 115-V, 60-Hz, 2.9-A unit #172BS-II

(923-3316).....ea



Laerdal Suction Unit (LSU)

• The LSU features integrated device diagnostics and vacuum power control, "no tools" replaceable battery, and built-in AC/DC charger

· Device diagnostics, a field-unit first, checks all critical system functions

 High performance, rated at 30 lpm flow rate, and 500+ mm Hg vacuum

 Complete with AC and DC power cords and disposable canister with tubing

#78002001, Suction Unit With Disposable Canister (827-2329)..... ea



7305 Series **Suction Unit**

· Easy-to-use and compact design with vacuum adjustments from 80 mm to 550 mm Ha

The 7305 series meets the RTCA/DO160D Aircraft Standard as well as the ISO-10079 Suction Standard

· Backed by a 2-year warranty #7305P-D, Unit with Battery

6.3 lb, 8"H x 9"W x 7"L

MedSource

Coiled Suction Catheters

• Sterile, single-use suction catheters feature a whistle-tip and thumb-control port for accurate suction

(401-6284)..... ea

French sizing ranges from pediatric to adult

Catheter.....ea Specify: #MS-SC06, 6 Fr...... (499-7346) #MS-SC08, 8 Fr...... (499-5810) #MS-SC10, 10 Fr (499-5084) #MS-SC12, 12 Fr...... (499-5327) #MS-SC14, 14 Fr..... (499-5085) #MS-SC16, 16 Fr...... (499-5086) #MS-SC18, 18 Fr...... (499-5930)





Suction Canisters

Replacement Canisters 484410, Bemis 1200 cc

(116-9264)..... ea Bemis 800 cc (645-5651).....ea





5-Liter Compact Concentrator

- 34% more compact than traditional concentrators
- · Exclusive turn-down technology reduces power consumption by 15% or more at or below 2.5 lpm
 • Includes oxygen sensing device; no
- maintenance required for 2 years
- Backed by a 5-year warranty
 Dimensions: 24½"H x 13½"W x 12"L
- · Weight: 36 lb

#525DS

(110-8052)..... ea





Perfecto2 V Oxygen Concentrator

Robust design on the 5-liter Invacare Perfecto2 V Oxygen Concentrator includes an Invacare homefill system port for inventory flexibility and a useraccessible reset button to minimize emergency service calls.

- · User-friendly design with easy-to-see-andunderstand control panel
- · Easy access to humidifier bottle and filter
- Low noise level allows for use during sleep
- Convenient top handle makes it easy to move
- 3 separate filters assure oxygen purity #IRC5PO2V

(121-5604).....ea






NewLife® Intensity 10 Stationary Oxygen Concentrator

- · With dual flowmeters and oxygen monitor
- 120 volts 60 HZ
- #AS099-4

(397-0011).....ea



NewLife Elite Oxygen Concentrator with Monitor



- Includes O₂ monitor
- Highly rated in harsh environments
- Time-proven NewLife® ruggedness and reliability
- Easy to service and maintain
- Lockable flow meter
- Dual-flow option
- Dual-function hour meter
- Resettable circuit breaker
- Direct humidifier bottle attachment
- Smooth and quiet operation
- Optional air outlet for nebulizer treatments
- Simple user interface

#AS005-4

(**793-0883**).....ea

CAIRE

NewLife Elite Oxygen Concentrator

- 120 volt/60 Hz,
- USA cord, non-OM
 Highly rated in harsh environments
- Time-proven NewLife® ruggedness and reliability
- Easy to service and maintain
- Lockable flow meter
- Dual-flow option
- Dual-function hour meter
- Resettable circuit breaker
- Direct humidifier bottle attachment
- Smooth and quiet operation
- Optional air outlet for nebulizer treatments
- Simple user interface

#AS-005-1

(919-3556).....ea



aMADA

Oxygen **Resuscitator Kit** On Cart

#1629

• Dimensions: 36" x 13" x 10"

• Weight: 191/2 lb complete

#1629

Contains: #1603 aluminum cylinder (680 liters filled), #1442 fixed-flow regulator (6 LPM avg.), #370C adjustable chrome cart, #4000 manual resuscitator, mask, & tube.


To Fax: 1-800-372-5702 24 Hrs

† Hazardous material



ZOLL

ZOLL AED Plus®




Provides a one-piece electrode for accurate

placement ... Uses consumer lithium batteries that are easy to replace, long-lasting, and inexpensive

Semi-Automatic Unit

(866-7559).....ea Contains: AED, electrodes, batteries, carry case, ECG, wall-mount bracket & operator's guide.



(119-7910).....

Fully Automatic Unit



Powerheart® AED **G3** Automatic

- Simplifies the rescue process by eliminating the need to press a shock button
- Attach the device to a
- person in cardiac arrest
 The device detects the person's heart rhythm, analyzes the rhythm using the patented RHYTHMx® software
- · If a life-threatening rhythm is detected, instructs the user to stand clear, and automatically delivers a defibrillation shock
- Patented RescueReady technology includes daily, weekly, and monthly self-tests of Intellisense lithium battery, internal electronics, software, and defibrillation pads, ensuring first-
- time, every-time shock delivery
 Incorporates the patented RHYTHMx™ analysis software and STAR® biphasic defibrillation energy waveform. #9390A-1001SP, Fully Automatic Unit

(119-5077)..... ea Adult Defibrillation Pads

Pads are biphasic, and either pad can be placed on upper right or lower left on bare chest. (718-7703).....ea Pediatric Defibrillation Pads Reduces the energy levels delivered to children and infants up to 8 years old or up to 55 Lb. (718-7665)..... ea Wall Mount Storage Case Holds AED G3 in its carry case and other accessories. Features visible strobe light and alarm, both are activated when unit is lifted from cradle and removed from case. Surface mounted and comes with 2 keys to activate alarm. (**718-6562**).....ea Intellisense Lithium Powerheart AED Battery For use in Powerheart AED G3 9300E, 9300A, 9390E, and 9390A. 4-year warranty. (106-4576)..... ea Universal Replacement Lithium Battery For all G3 units. (718-0431).....

Each AED package includes: 1 defibrillator, 1 IntelliSense battery (#9146), 1 pair of defibrillation pads, and 1 Quick Start tool kit (includes Quick Start guide, CD-ROM with AED manual, training video, RescueLink & MDLink, and serial communication cable).

defibtech 🔝

Lifeline AED

- · Designed for speed
- and simplicity.
- Uses biphasic defibrillationthe most effective at resuscitating in ventricular fibrillation, the most common form of sudden cardiac arrest.
- Text, lights, and voice instructions guide the responder step by step through the lifesaving
- process.
 Electrode pads are stored in the back pocket,
- ready to apply. "Power On" and "Shock" buttons are oversized and brightly lit.
- · Lightweight and durable.

Complete Package	
(499-1362)e	a
Contains: 1 of each: unit, battery pack, set of defibrillation pads, 9-volt status indicator battery, quick-start card & user manual.	

Adult Pad Set Preconnected, single-use, nonpolarized, and disposable. Self-adhesive electrodes with cable and connector. (499-1367).....ea Pediatric Pad Set

For children 8 years and younger.

Defibrillation and Monitoring Pads

(**499-1368**).....ea Wall Mount (499-3395).....ea Features shoulder strap and zippered pockets to store accessories. Black

(499-1357).....ea


(, , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , ,
5-Year Battery Pack with 9-V Lithium Battery
(499-1363)ea
2-Way Wall Sign, 10 x 17"
(499-5245)ea
Rescue Pack
(499-3571)ea
(,

(499-1353).....ea

✓ HENRY SCHEIN®

DEFIBRILLATOR PADS

- Adult/pediatric multifunctional electrodes
- Peel-pouch
- 60" lead wire
- 3-year shelf life
- Not made with natural rubber latex







Cabinet

Welch Allyn^{*}

CP 50™ Resting Electrocardiograph

12 Lead

- Reliable, full-color, touch-screen display
- On-screen instructions that guide you through a test
- Programmable report formats
- High-resolution thermal printer
- Flexible connectivity options: EHR, EMR, HIS, e-mail, Web, and telemedicine
- External printer integration
- Programmable patient entry fields
- Optional MEANS interpretation
- Optional mobile stand and carrying case

#CP50P-1EN1. CP 50™ Plus Resting ECG, Non-interpretive

(566-0340).....ea

Accessories

#45008-0000, Disposable Tab Electrodes (701-6335)1000/box
#406815, CP 50™ Mobile Stand (566-0345)ea
#715107, Carrying Case (566-0344)ea
#406021, CP 50 [™] Printer Paper, Z-fold

#406020, CP 50[™] Printer Paper, Roll

(566-0343)......4 rolls/case



ELI™ 250c 12-Lead Resting Electrocardiograph

- · Portable solution. Compact and lightweight, the ELI 250c electrocardiograph provides comprehensive functionality, in an easy-to-use, portable device.
- Best 10 technologies. Capture the best 10 seconds of ECG data from system memory, reducing the need for repeat ECGs.
- Wireless data acquisition. Increase workspace flexibility by gathering 12-lead data without the need for a tethered cable.
- Connectivity your way. Multiple options ensure patient data transfers easily from the ELI 250c to the location of our choice.

#BUR250C-81D. with AM12/USB/LAN/DICOM 802.11 Interpretation

(796-0047).....ea #BUR250C-81X, with AM12/USB/LAN 802.11

Interpretation (796-0044).....ea

#BUR250C-C1D, with AM12/ USB/LAN/DICOM Interpretation

(907-3643)..... ea #BUR250C-C1X, with AM12/USB/LAN Interpretation (385-0049).....ea

#BUR250C-W1D, with AM12/USB/LAN/ DICOM 802.11 Wireless Interpretation (907-3638)..... ea

#BUR250C-WIX, with WAM & 802.11 Wireless Interpretation (907-3637)..... ea

14

To Order: 1-800-521-1472 8:00am-6:00pm, et

Newman Medical

DigiDop™ 700 and DigiDop™ 701 **Digital Dopplers** with Display



· Tough and durable polycarbonate and stainless steel case with a unique magnetic probe holder

Digital Optimized Processing (DOP™)

 Full 2-year product warranty #DD-700-D2, DigiDop™ 700, Non-Rechargeable, with 2-MHz Probe

(119-5400)..... ea #DD-700-D2WP, DigiDop™ 700,

Non-Rechargeable, with 2-MHz Waterproof Probe (119-5403)..... ea

#DD-700-D3, DigiDop™ 700, Non-Rechargeable, with 3-MHz Probe (117-2711).....ea

#DD-700-80, DigiDop™ 700, Rechargeable, with 3-MHz & 8-MHz Probes (119-5394)..... ea

#DD-701-D2WP, DigiDop™ 701, Rechargeable, with 2-MHz Waterproof Probe

(119-5405)..... ea #DD-701-D3, DigiDop™ 701, Rechargeable, with 3-MHz Probe


(117-2710).....ea #DD-701-D8, DigiDop™ 701, Rechargeable, with

8-MHz Probe (118-4836)..... ea


SummitDoppler

LifeDop™ Dopplers and Probes

Offers great sensitivity, a recording option, and superior sound. Long-lasting battery saves money. Comfortable, easy-to-hold probes. Very durable.



heart rate as well as remaining battery life, signal quality, and probe identification; available in both display and nondisplay units



Quality speaker and audio processing for superior sound

Improved battery management design to reduce frequency of battery charges

#L150R, Nondisplay Doppler with Recharger (118-8427)..... ea #L150A, Nondisplay Doppler with Audio Recorder

(118-8694)..... ea #L250, Display Doppler Basic Model (118-3501).....ea

#L250AR, Display Doppler with Recharger and Audio Recorder (118-9924)..... ea

Probe.....ea #P200, Obstetrical, 2MHz Optimized for deep penetration......(118-6433)

#P300, Obstetrical, 3MHz, For early fetal heartbeat detection and overall use......(118-2758) #P800, Vascular, 8MHz(118-9695)

One probe is included with purchase of doppler. Specify choice when ordering.

18LS8834







18" Fixed-Arm Sport Wheelchair

- 18" Silver Sport 2
- Silver vein fixed arm
- Swing-away footrests (replaces 905N)
- Silver vein/black upholsterv
- · Weight capacity: 300 lb #SSP218FA-SF

(116-8651)..... ea



Wheelchair with Detachable Leg Rests

- · 350-lb weight capacity
- · Tough, embossed upholstery
- · Oversized chart pocket
- · Heavy-duty fork and welded fork stems prevent wobbling
- · Limited lifetime warranty on crossbars and frames; 6-month warranty against manufacturer's defects on upholstered components and parts
- · Removable desk-length arms
- · Swing-away detachable elevating leg rests #MDS806850, Navy Blue, 22" Extra-wide (678-3881).....ea



Arms

Invacare

Tracer EX2 Wheelchair with Removable

This wheelchair sets the benchmark for longlasting, durable wheelchairs by combining a heavy-duty seat inner liner and low-maintenance carbon steel frame.

- · Dual-axle allows for repositioning for hemi seatto-floor heights
- Removable, desk-length, padded arms for easy transfers
- · Heavy-duty inner liners keep seat and back from stretching
- 14-gauge cross-braces add durability and strength
- · Lightweight wheelchair folds for convenient travel and storage
- Seat dimensions: 20"W x 16"D #1192355

(108-0219)..... ea



Invacare Composite Hemi Elevating Leg Rest

- No-tools front rigging design for easy attachment to Invacare manual wheelchairs
- Features a padded leg rest for user comfort and durable composite footplates #T94HCP

(125-1134)..... pair



Duro-Trac™ Wheelchairs

Permanent Full Arm with Fixed Footrests

- · Highly polished chrome-plated steel
- Padded armrests
- Embossed upholstery
- Dual axle
- Die-case aluminum footrests
- Adjustable front fork on 16" and 18" only
- Weight capacity: 250 lb for 16" and 18"; 350 lb for 20", 22", and 24"
- 24" x 1" mag solid composite rear wheels with sealed bearing
- 8" x 1" solid front wheels
- 1-year warranty on frame

#WCFF1801P, 18" Wide, with Permanent Full Arm and Fixed Footrests

(635-4562).....ea #WCFS1803P, 18" Wide, with Permanent Full Arm

and Swingaway Footrests (103-6178)..... ea





#WCDS2007P, 20" Wide, with Removable Desk-Length Armrests and Swingaway, Detachable Footrests (635-9603).....ea

#WCDS2407P, 24" Wide, with Removable Desk-Length Armrests and Swingaway, Detachable Footrests (635-6711)..... ea

18LS8834

INVAC4RE

Reliant 450 **Battery Power Lift**

RPL450-1 features:

· Manual lowering safety feature for instant response in event of power loss

Padded swivel bar with 360° rotation for added comfort and convenience

• Low-battery audible alarm

signals when charge is needed

 Wall-mounted charger holds second battery (included) for easy, nearby replacement 150–300 lifts per charge

450-lb weight capacity

RPL450-2 features:

Powered lift with power-opening low base

 Total pinch-point protection covers all moving parts for added safety

Height range allows lifting from floor and high surfaces

· Wide base provides maximum stability and is battery-operated for ease of use

 Ergonomic hand pendant attaches to multiple points on lift for convenience

• Manual lowering allows emergency lowering of user in case of power loss

450-lb weight capacity

#RPL450-1, Battery-Powered Lift with Manual-Opening Low Base (246-0993).....

#RPL450-2, Battery-Powered Lift with Power-Opening Low Base (834-5641).....ea



Reliant Patient Lift Scale

· Readings in lb or kg

· Instructions printed on scaleface for ease of use

Retrofits on Reliant 450 and 600 lifts

· Automatically powers down after 2 min to preserve battery

 Battery operated: battery life approximately 1500 readings

#RLS6

(120-1238)..... ea



Bariatric Patient Lift

The Joerns Hoyer HPL700 lift has been replaced by the HPL700-S2 lift. The new lift provides a standard look and function that aligns with the newest released Classic Series lift. The primary difference between the existing HPL700 and the new HPL700-S2 is an upgrade to the electronics package.

· Only available in White

Interchangeable spreader bars

Power-operated base

Hoyer smart monitor

Oversized handles to easily move the lift

Optional scale

Safe working load: 700 lb
Lifting range: 23.3" to 69"

2 batteries, offboard charger

Powered base

#HPL700-S2

(115-8735)..... ea



Reliant 600 **Heavy-Duty Power Lift**

 Removable battery charges on wall-mounted charging station

Quiet, long-life motor powers wide lifting range for versatility

• Extra-wide padded swivel bar with 360° rotation

· 600-lb weight capacity

RPL600-1 features:

Manual-Opening Low Base
Base legs adjust easily and lock securely into open position with the padded handle

Total pinch-point protection covers all moving parts for added safety

RPL600-2 features:

· Powered base operated by hand pendant

Ergonomic hand pendant attaches to multiple points on lift for convenience

#RPL600-1, Battery-Powered Lift with Manual-Opening Low Base (108-7889).....ea #RPL600-2, Battery-Powered Lift with Power-Opening Low Base

(118-4333).....ea



Painted Hydraulic Lift

450-lb weight capacity

Lightweight construction and easy disassembly allow quick transport and setup 20"-64" range allows for patient to be picked up

from lying position on floor Elongated handle design serves a broad range of operator heights and offers improved handling ability

Offset mast and boom style provides better lift path, maximizing full travel range

· Pump handle can rotate from side to side for convenience of attendant

· Six-point swivel bar attachment easily adapts to all sling styles and positions

#9402 Standard Sline

#9402, Standard Silling
(120-8369)ea
#9071, Sling Chains for Standard Series Slings
(120-7757)ea
Painted Hydraulic Patient Lift
(116-5732)
,

To Fax: 1-800-372-5702 24 Hrs



Carroll CS Series CS7 Bed

Floor-lock system secures the bed to the floor at all height ranges but allows for mobility on demand. Caregivers do not have to wait for the bed to be raised to its full height before transporting or maneuvering. Easy-to-read indicator alerts staff if the bed is off its castors and not locked properly. Exclusive arched-slat deck design allows for improved infection control and reduces wear and tear on mattresses. Features a rugged hand control, with bright, universal symbols, allowing residents and staff to easily operate the comfort controls of the bed. Optional 10-function attendant control panel allows staff to easily operate all functions of the bed from the footboard. In addition, staff can choose to restrict access to the resident by locking out any or all functions of the hand control directly from the panel.

- 7"-30" height range
- · 500-lb weight capacity
- Ergonomically designed, rugged, water-resistant pendant
- Rapid, tool-free assembly minimizes delivery set-up time and makes maintenance easier
- Universal deck length (76" or 80")
- Optional battery backup
- 190 lb
- Swivel wheels
- Back angle: 70°
- Overall width: 36"/39"/42"

Mattress sold separately

Call for configuration options!



C-Based Overbed Table with Adjustable Height

Features a convenient flat surface for those confined to a bed or chair. "C"-shaped base allows for closer access while in a chair. It is easy to assemble and height-adjustable. Can be adjusted for right- or left-handed use. #329359

(672-0107).....ea

graham field.

Composite Overbed Table, Non-Tilt

- · Easy to assemble
- Molded composite top is a smart alternative to wood, which, over time, has the potential to crack or peel
- Easy to clean and impermeable to moisture
- Height adjusts infinitely between 28.3" and 41.7". 28"W x 15"D. Base: 24"W x 15"D
- Chrome-plated H base and column for aesthetics and durability
- Twin-wheel swivel casters provide smoothrolling action
- 2 locking and 2 nonlocking casters
- Supports up to 50 lb of dispersed weight
- Gray

#GF8903P

(121-9210)..... ea



Apollo MedSurg (MS) Hospital Bed

- Customizable Tente® wheel casters
- · Central locking brake mechanism
- Modular battery backup
- · Adjustable height, Fowler angle, and knee angle
- Trendelenburg and reverse Trendelenburg positions
- Hospital Bed Safety Workgroup (HBSW) compliant side rails
- · Patient controls in inner side rails
- 550-lb weight capacity
- · Integrated mattress retainer
- · Integrated bed extender
- · Removable headboard and footboard
- Linak[™] DC actuators
- · CPR quick-release system
- 4 integrated roller bumpers
- 4 IV pole sockets
- LED night-light
- Integrated pump-holder on footboard
- 120 volts

#B-E-AM1-4000-120 **(122-5173)**.....ea



- With scale
- 5" Tente® wheel casters
- · Central locking-brake mechanism
- Linak™ DC actuators
- Modular battery backup
- Electronic lock-out controls on outer side rails and footboard
- Auto-contour feature when Fowler is raised
- Trendelenburg and reverse Trendelenburg positions
- · Patient controls on inner side rails
- Hospital Bed Safety Workgroup (HBSW) compliant side rails
- 550-lb weight capacity
- Metal litter deck
- Integrated mattress retainer
- Integrated bed extender
- CPR release system
- 4 IV pole sockets
- LED night-lighta
- · 4 integrated roller bumpers
- Flat litter deck for compatibility with standard patient surfaces
- Integrated air mattress pump holder on footboard #B-E-AM1-4002

l**27-5151)**..... ea





PowerLine Treatment Table with Backrest

- 500-lb capacity
- Hardwood legs
- 30"H x 72"L x 27"W
- Padding: 1¾"
- Firm response: 2½"

#PKG6974

(124-1600).....ea



Straight Line Treatment Table*

- Features all-steel frame, laminate shelf, 2 drawers with steel sides and adjustable backrest
- Paper dispenser included
- Available for FedEx® Ground and UPS® shipping to save you money

#3013-27, 27"W x 30"H x 72"L (122-0010)......ea #3013-30, 30"W x 30"H x 72"L (122-0011).....ea

*Available with color-coordinated laminate and vinyl. Grey shelving will be shipped unless otherwise specified.







Ritter® #204 Table Base

Option 1

- Pass-through drawers
- Electrical receptacle (base only)

Option 2

- Pass-through drawers
- Drawer heater
- Pelvic tilt
- Electrical receptacle (base only)
 #204-001

(**702-5876**).....ea



Ritter® #222 Barrier-Free® Power Examination Table

The incredible 18" low height provides optimal accessibility and safety. Available in various upholstery colors.

- Power height and manual back section
- 400-lb patient weight capacity
- 18" to 37" seat height adjustment
- Foot control standard
- Cut and sewn or styled seamless upholstery option
- Meets UL 60601-1 and CAN/CSA C22 No. 601.1-M90 standards
- Table weight: 295 lb

18

#222-016, Barrier-Free Exam Table Base Unit with Receptacle, Pelvic Tilt, and Drawer Heater (634-3714)

Call for configuration options!

(634-3714).....ea

CHAMPION



Champion Recliners

- Champion offers a variety of Recliner options in both manual and powered options for fulfilling a safe and comfortable experience during use. In addition these chairs offer Trendelenburg options and swing away arms for caregiver use. Champion sets themselves apart from their competitors by offering swing arm chairs that all swing 180 degrees as an option in addition to their "infinite position" option of their chairs that allows the patient to lean back to a spot and the chair will hold them in that spot until someone changes it.
- Champion offers a wide array of accessories for their recliners to allow for further patient comfort based on your needs which include but are not limited to: Black over-lap tray, Fold-away table with cup holder, Swing-away table (with or without cup holder), Cup holders, Head pillow/lumbar support, Cushion wedge/arm support, Blood draw arm support, Push handle cover, Head flap protector, Arm covers, Rear back flap, Monitor mount, Tablet table, Nocturnal sleep pad, Nocturnal sleep guards, Footrest extender, IV pole (2 or 4 hook), Oxygen tank holder, IV bracket, IV Rolling locking base, Bag hook, Personal items storage bag and Paper roll dispenser.

For further information on Champion chairs and the options available, please call your representative today!

graham field.



Graham-Field Recliners

- Graham Field offers a wide array of color options and chair styles aimed at ensuring that every patient who walks into the clinic will get a comfortable seating experience. Graham Field offers chairs with Trendelenburg and folding side table with drop arms for assisting in the ease of getting the patient into the chair.
- Graham Field offers a handful of accessories and add-ons for their chairs that are but not limited to: side table, cup holder, heat and/or massage options and headrest covers. They also offer an XL version of said recliners to allow for all varieties of patients who may walk into the clinic.

For further information on Graham-Field chairs and the options available, please call your representative today!





Winco Recliners

- Winco sets themselves apart by providing both drop arm and swing arm chair options for the ease of moving a patient from their wheelchair to and from the dialysis chair along with ease for the care giver in cleaning the chair after a patient has left the dialysis chair.
- Winco's most popular chair is the Elite Care Cliner with 90° swing arm functionality. They come in both regular and XL sizes with Trendelenburg positioning and dual folding side tables. The second most popular recliner is their 6530 and 6540 recliners which also come standard with Trendelenburg and dual side tables. Options for these recliners for patient comfort include but are not limited to: Heat, Heat and massage, and side cushions.

For further information on other styles of Winco recliners and the options available, please call your representative today!





Basic Blood-Drawing Chair with Cabinet

- High-impact aluminum and plastic storage cabinet
- Durable plastic resin seat
- Adjustable armrest
- Non-marring leveling feet
- Single pivot arm
- Weight capacity: 300 lb #2570PR

(117-2984).....ea



Premium Stool

- Premium 5-star black base, with easily maneuvered casters
- 14" round swivel seat
- · 3" high-density, multilayered padding
- · Choice of stool's height range
- · Covered with PVC-free upholstery
- · Equipped with pneumatic height ranges
- Pewter

#60386-T29

(127-8450)..... ea







Exam Stool with Casters

- Weight capacity rating: 300 lb
- 14" round cushioned seat
- 2" double ball-bearing casters
- Height adjustment (screw shaft): 17%" to 261/4"
- Without back
- Black

#P-36 BLK

(157-7992)..... ea



Pneumatic Swivel Stool

- One-piece, American-made, black nylon base
- · Full-size diameter top and base for comfort and stability
- · 5-leg design for greater stability
- · Firm polyfoam padding
- 4"-thick seat for extra comfort
- 2½" dual wheel casters
- · Single-lever, pneumatic height adjustment
- All seats have ¾"-thick solid plywood base
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery
- · Knock-down design saves on shipping
- Easy: no-tools-required assembly
- 250-lb load capacity under normal use #2135

(122-4606).....ea



To Fax: 1-800-372-5702 24 Hrs

INFUSION PUMPS/IV POLES/PRIVACY SCREENS/STANDS

ZŶNO MEDICAL

Infusion Pump

- · Set-based free-flow protection
- Used in conjunction with B series IV sets, the IV set incorporates a modified Roberts clamp that when

properly loaded into the pump provides an automatic backup safety system to the pumpbased, free-flow protection device-only system

- The Roberts clamp easily loads into the pump in the designated holder
- · A built-in sensor ensures that the pump cannot be used without the clamp being properly installed
- During operation if the pump door is opened the pump-based clamp and the set-based clamp will automatically close

#Z-800F (124-5790).....ea



Infusion Pump Large-volume infusion pump, with Continuous, Piggyback, Ramp/Taper, and Program modes. Operates with DEHP-free and straight-line IV sets. Using prompts, it walks user through programming process. Easy-to-load pump is less expensive than cassettes and fosters quick learning. Easy to carry, lightweight (6.8 lb), and doesn't require an IV pole.

(187-1304)..... ea

MABIS IV Pole with 4

Casters and 2 Hooks

- · Chrome pole and prongs
- · 2-wheel caster design
- 2 prongs
- 4 legs with casters
- · Height can easily be adjusted from 47" to 82"

#45-624-060 (151-0194)..... ea







TECHMED

Five-Leg IV Pole with 2 Hooks

- · Chrome-plated steel pole
- Knob height adjustment
- · Detachable dual ram horn hooks with plastic tips
- Dual wheel casters
- · Five-leg, cast-aluminum base (635-5666).....ea



Brewer

4-Caster, Heavy-Base **IV Stands**

- Rubber wheel, ball-bearing casters
- Tough 4-leg epoxy-coated base Chrome-plated top post assembly
- 2 and 4 detachable ram's horn hooks available
- Exclusive "No Loss" knob
- Rubber bumpers on legs to protect walls

#43403, 2-Ram's-Horn-Hook Model 4-Ram's-Horn-Hook Model

(121-7776).....ea (612-6951).....ea



II OMNIMED

Mobile Glove and Hand Sanitizer Stand

- · Includes a triple stainless-steel glove-box holder and 1 sanitizing dispenser
- 40" work height

Fresco 4-Panel

Privacy Screen,

- 1 hand-sanitizer holder
- · 22"-diameter star base #350351

(129-1350)..... ea



- **48705 Series** · 4-panel privacy screen
- · Folded dimensions for storage: 68" x 19" x 31/4"
- · Extended length of coverage: 68"H x 62"W

#48705

(870-9006).....ea



DeVilbiss 3-Panel **Privacy**



- · Easy to maintain and clean
- 4-3" hooded casters
- Overall height: 70½"
- · Screens are 6-mil, flame-retardant, bacteriostatic white vinyl
- · Sturdy, 1" diameter anodized aluminum tubing #13508-P (285-0528).....ea




CARTS & ACCESSORIES/WASTE MANAGEMENT

HARLOFF

Call for more options!

Four-Drawer **Crash Cart** with Specialty Accessory **Package**



- Predrilled threaded holes for V-Series side-mounted accessories
- Stabilizing bumper frame with extended front casters and 4 corner bumpers
- Breakaway lock bar and 100 breakaway seats included
- 24" of vertical drawer space
- Full-extension drawer slides
- Ships with wheels installed and ready to use
- Not made with natural rubber latex
- Emergency package accessories include: Cardiac board and brackets, side-mounted drop shelf, IV pole, oxygen tank holder (D/E size cylinders), and powder-coated steel top rail/ push handle
- 12-year warranty

#V24-4B-HSACC

(738-0008).....ea



Crash Cart Covers

- For Unicarts
- Includes 5 bags 33" x 23" x 42"

#BAG-COVER5 (109-3366)...... 5/box



Stainless Steel Cart

- Noncorrosive stainless-steel construction
- 3 stainless-steel shelves, 151/2"W x 24"L
- Roomy 12" between shelves Quietly rides on 31/2" rubber wheel casters
- Total weight capacity: 300 lb
- Dimensions with handle: 32"H x 16"W x 27"L #63500

Waterloo

Plastic Breakaway Seals



(550-3010)..... ea

- locking systems, breakaway gate locks, and Emer-Box divider trays
- Yellow #PS-100 (172-8521)......100/pkg



0

BD Recykleen™ Trolleys

Made with 25% Recycled Content Standard and foot-operated trolleys for extra-large collectors Provide stability and mobility, with handles and 3" locking wheels. Foot-operated trolley. #305090, Standard, 9 gal 23¾" x 15½" x 22¼"



(987-0163).....ea #305092, Standard, 17-19 gal 26½" x 17½" x 23¾" (987-0165)..... ea #305091, Foot Operated, 9 gal 26½" x 15½" x 22½" (987-0164).....ea #305093, Foot Operated, 19 gal (987-0173).....ea



Rubbermaid® Step-On Containers



Hands-free, sanitary refuse disposal. Rounded corners and smooth contours. Tough, rugged, puncture-resistant, allplastic construction provides years of use.

- Assists in complying with OSHA regulation 29 CFR 1910.1030, "Occupational Exposure to Bloodborne Pathogens"
- Factory Mutual (FM) and California State Fire Marshal (CSFM) approved for fire safety
- Tight-fitting, overlapping lid helps contain odors Quiet, heavy-duty pedal for sanitary,
- hands-free use
- Optional rigid liners for containers #6143, #6144, #6145, and #6146 provide leak-proof bases to

help contain liquids #FG614200WHT, 4.5 gal with Rigid Liner, Round, 131/4"D x 151/8"H, White (307-3790)..... ea #FG614300BEIG, 8 gal, Rectangular, 17%"H x 164"L x 154"W, Light Beige (707-0542)..... ea #FG614600RED, Mobile, Rectangular,

(324-5203).....ea **DETECTO**

Baked Enamel Steel Step-On

Epoxy polyester finish,

23 gal, 19.8" x 16.1" x 321/2", Red



features unitized construction, full-width hinges. Heavy-duty foot pedal and linkage system, self-closing lid. Bag-securing mechanism. Plastic protective molding hems

bottom. "Biohazard" and "Infectious Waste" adhesive-backed labels included.
#P-24, 24 qt, Red
(545-2145) ea
#P-24, 24 qt, White
(545-3315)ea
#P-32, 32 qt, Red
(545-3427)ea
#P-32, 32 qt, White
(545-5228) ea
#P-48, 48 gt, Red
(545-5926) ea
#P-48, 48 gt, White
#F-40, 40 qt, write (545-6276)ea
(343-0270)ea

22

18LS8834





Premier Pharmacy/Vaccine Undercounter Refrigerator, Freestanding

- 2½-cu-ft capacity
- · Remote alarm contacts
- Back wall evaporator cover
- Forced draft circulation
- Keved door lock
- Digital temperature display
- · Audible and visual high- and low-temperature alarms
- Cycle defrost
- ADA compliant
- One glass swing door, right-hinged, not reversible
- Microprocessor temperature controller
- Adjustable operating temperature range: 34°F-50°F (1°C-10°C)
- 2 probes: 1 in air and 1 in sample bottle
- Magnetic door gasket for positive seal
- · High-density urethane foam cabinet and door insulation
- HFC-free refrigerant (R600a), foam insulation, and packaging
- Exterior dimensions: 28%"H x 17%"W x 19½"D
- 115 volts, 60 Hz, 0.90 amps, ½ HP
- UL/C-UL listed
- Shipping weight: 97 lb

#PH-ABT-HC-UCFS-0204G

(126-4009).....ea



ABS American BioTech Supply

Premier Undercounter Refrigerator, Built-in

- Cycle defrost
- 4.6-cu-ft capacity
- Keved door lock
- Remote alarm contacts
- Forced-draft circulation
- Recessed door handle
- · Back wall evaporator cover
- · 2 probes: 1 in air and 1 in glycol bottle
- · One solid swing door, right-hinged
- Microprocessor temperature controller
- Digital temperature display
- · Audible and visual high- and low-temperature alarms
- Adjustable operating temperature range: 34°F-50°F (1°C-10°C)
- Magnetic door gasket for positive seal
- · High-density urethane foam cabinet and door insulation
- · HFC-free refrigerant (R600a), foam insulation, and packaging
- Exterior dimensions: 33%"H x 23%"W x 241/2"D
- 115 volts, 60 Hz, ½ HP, 1.74 amps
- UL/C-UL listed
- Shipping weight: 137 lb

#UCBI-0404

(125-4665).....ea



Standard Undercounter Laboratory Refrigerator, Freestanding

- Interior light
- Cycle defrost
- 5-cu-ft capacity
- Keyed door lock
- · Recessed door handle
- · Mechanical thermostat
- Probe access port, %"
- · White cabinet and door
- 3 shelves: 1 fixed and 2 adjustable
- · Magnetic door gasket for positive seal
- 1 solid swing door, right-hinged, not reversible
- Temperature range: 34°F-50°F (0°C to 10°C)
- · High-density urethane foam cabinet and door insulation
- · HFC-free refrigerant (R600a), foam insulation, and packaging
- Exterior dimensions: 32¼"H x 20¼"W x 21¾"D
- 115 volts, 60 Hz, 0.90 amps, 1/7 HP
- UL/C-UL listed
- · Shipping weight: 86 lb

#UCFS-0504W

(125-4697).....ea





BECAUSE INFECTION RISKS ARE EVERYWHERE, SO ARE WE.



Integrated Solutions to Help Fight HAIs.

PDI covers your Interventional Care, Patient Care, and Environment of Care needs with effective infection prevention products, educational tools, and clinical support, all designed to get patients back home where they belong. **Infections don't wait. Neither should you.**

HS Item# (267-0039) Sani-Cloth® AF3 Wipes Large Canister*
HS Item# (113-5423) Super Sani-Cloth Wipes Large Canister*
HS Item# (602-0021) Sani-Cloth Bleach Wipes Large Canister*

INTERVENTIONAL CARE

PATIENT CARE

ENVIRONMENT OF CARE



^{*}Available in additional formats and sizes. PDI05189920 ©2018 PDI