



DIALYSIS PRODUCT FEATURE



Offering products to meet all of your Dialysis Center's Needs



MesaLabs

Mesa Labs Solutions

- · Mesa Labs solutions are compatible with other industry meters
- FDA 510(k) clearance for a complete line of conductivity solutions
- Long-duration shelf life for unopened pH buffer solutions and conductivity solutions

 No expiration date for NEO-CARE cell-cleaning
- solution
- Fully ISO-17025-compliant manufacturing facility
- Labratory-Quality
- NIST-Traceable

Conductivity Solution, 16-oz Bottle

| Conductivity Solution, 16-oz Bo | ottie |
|----------------------------------|-------|
| #02.0037, 1 mS | |
| (906-4668) ea | a |
| #02.0014, 14 mS | |
| (906-4669) ea | a |
| #02.0036, 100 mS | |
| (906-4670) ea | a |
| #02.0045, 150 mS | |
| (906-4671) ea | a |
| #02.0071, 50 mS | |
| (906-4672) ea | a |
| Conductivity Solution, 32-oz Bo | ottle |
| #02.0027, 14 mS | |
| (906-4673) ea | a |
| pH Buffer Solution, 16-oz Bottle | ڊ |
| #02.0032, pH 4.0 | |
| (906-4674)ea | a |
| | |



| #02.0030, pH 7.0 (906-4675)ea |
|---|
| #02.0034, pH 10.0 (906-4676) ea |
| PH Buffer Solution, 32-oz Bottle #02.0031, pH 7.0 (906-4677) ea |
| |
| NEO-CARE Cell Cleaning Solution |
| NEO-CARE Cell Cleaning Solution #02.0013, 16 oz (906-4678) ea |
| #02.0013, 16 oz |






LiquaCel™

This complete, nectar-thick, liquid protein contains 16 grams of protein and 2.5 grams of arginine per 1 oz. It is available in a variety of great flavors and is the perfect alternative for large-volume supplements that are difficult to consume. Dialysis and bariatric friendly.

- Contains all essential and nonessential amino acids

- Sugar- and gluten-free
 Nectar consistency
 Superb taste and great for mixing
- Low potassium and phosphorus
- Can be taken straight or diluted with 1 to 6 oz of your favorite beverage

| . to o of all your raveline bevoluge | |
|---|------------|
| Single Serve 1-oz Packets 100/case | |
| Specify: | |
| Lemonade | (420-0019) |
| Grape | (420-0015) |
| Orange | (420-0018) |
| Peach Mango | (420-0025) |
| 32-oz Bottles6/case | |
| Specify: | |
| Lemonade | (420-0013) |
| Grape | (420-0011) |
| Orange | (420-0012) |
| Peach Mango | (420-0024) |
| Variety Pack (Orange, Grape and Lemonade) | (420-0014) |
| Pump & Go2/case | |
| Specify: | |
| Grape | (420-0045) |
| Peach Mango | (126-7399) |
| | |







REXEED Dialyzers

Asahi Kasei Kuraray Medical has raised overall dialyzer performance by combining its polysulfone membrane REXBRANE with a new jacket design to provide optimal flow dynamics. Its inner surface incorporates Asahi's unique hydrophilic gel-layer technology, which minimizes bloodmembrane interaction and plays a crucial role in anticoagulation requirements. These design elements together created the new REXEED dialyzers.

Features:

- Surface areas available: 1.5m², 1.8m², 2.1m² and 2.5m² (largest surface area available) REXBRANE membrane
- New X-jacket design for improved flow dynamics
- Exceptional urea, creatinine, and phosphate clearance rates
- High mid-sized molecule removal rate
- Low albumin loss
- · Proprietary fiber inner-gel layer minimizes platelet activation
- EtO-free and gamma-sterilized
- Color-coded headers
- · 2.5m² offers an alternative to tandem dialysis

Single-Use High-Flux, Wet

| REXEED-S | 12/case |
|----------------------|------------|
| Specify: | |
| #REXEED-15S | (629-9797) |
| #REXEED-18S | (629-1770) |
| #REXEED-21S | (627-4256) |
| #REXEED-25S | (629-2966) |
| Reuse High-Flux, Wet | |
| REXEED-R | 12/case |
| Specify: | |
| #REXÉED-15R | (629-9887) |
| #REXEED-18R | (629-7911) |
| #REXEED-21R | (629-7456) |
| #REXEED-25R | (629-2637) |
| | |



MIPRO

Elisio™ Polynephron™ High-Flux Single-Use Dialyzer

When Nipro set out to reimagine the single-use, hollow-fiber dialyzer, the goal was to evolve the new ELISIO™ into a product delivering multiple, valuable advantages. The design and engineering teams accomplished these objectives, innovating an array of powerful, practical benefits. The exclusive Polynephron™ membrane is designed to function more like the human kidney to deliver better clearance performance.

Features:

- Available with 8 different surface areas in m2:
- 0.9, 1.1, 1.3, 1.5, 1.7, 1.9, 2.1, and 2.5

 The only dialyzer not made with BPA and DEHP in North América
- Safer for patients because BPA and DEHP are endocrine disruptors
- Reduces residual blood, clotting, and hemolysis
- Better rinse-back to customers
- Membrane has a ripple structure
- Small molecule clearance
- · Improved header shape (dome design) with permanently attached caps
 Uniform distribution of pore sizes

- Reduces loss of albumin during HD treatment
 Good removal of uremic toxins and low MW proteins like b2-microglobulin and myoglobin Less damaged RBC, thus maintaining higher
- levels of hematocrit and hemoglobin
- Gamma sterilized, in an aluminum pouch with oxygen absorber

| Single-Use, High-Flux, Dry Specify: | 24/case |
|--|------------|
| #DD+ELISIO9H | (912-0017) |
| #DD+ELISIO11H | (912-0010) |
| #DD+ELISIO13H | (912-0011) |
| #DD+ELISIO15H | (912-0012) |
| #DD+ELISIO17H | (912-0013) |
| #DD+ELISIO19H | (912-0014) |
| #DD+ELISIO21H | (912-0015) |
| #DD+ELISIO25H | (912-0016) |
| | |





Assist Header Cleaner™

Designed to clean dialyzer headers without concern for damaging dialyzer fibers. In the clinical setting, it is used to clean residual blood and other debris from the headers, header spaces, and header caps of multiple-use hemodialyzers prior to an approved reprocessing process for hemodialyzers.

(**602-0357**)......50/bag





AIRLESS SIMPLE THE NEW STANDARD IN BLOOD TURING


- Four clinical studies evaluating Streamline® report improved clinical outcomes and/or lower overall treatment costs (up to \$3.48 per treatment)^{1,2,3,4}
- No need for external transducer protectors



Figure: From left to right conventional (ReadySet®) and Streamline blood tubing on identical Fresenius 2008K machines

- Fewer alarms¹
- Available for Fresenius® 2008® and
 B. Braun Dialog® hemodialysis
 machines

For more information on Streamline or other innovative Medisystems® products, call 1-800-369-MEDI



350 Merrimack Street • Lawrence, MA 01843 USA • www.medisystems.com • 1.800.369.MEDI

© 2012 NxStage Medical, Inc. Medisystems, ReadySet, and Streamline are registered trademarks of NxStage Medical, Inc. B. Braun Dialog is a registered trademark of B. Braun Medical Inc. Fresenius is a registered trademark of Fresenius SE & Co. KGaA. 2008 is a registered trademark of Fresenius Medical Care Holdings, Inc. CAUTION: Federal law restricts these devices to sale by or on the order of a physician. APM925 Rev. A

- ¹ Cooke, J; Moran, J; Streamline Airless System Set Optimizes Dialysis Adequacy with Reduced Costs; ASN 2007.
- ² Haas, S; Ahuja, M; Improving Adequacy, Heparin Anticoagulation and Dialyzer Efficiency with New Bloodline Technology; ASN 2010.
- 3 Smith, P; Streamline Bloodlines Improve Kt/V While Lowering Dialysate Usage; NKF 2010.
- ⁴ Arslanian, J et al.; Improved Blood Flow and Adequacy with Streamline Bloodlines; ASN 2010 (pub.).






Streamline® Blood Tubing

- Airless, Simple
 Reduces clotting
- Enhances staff efficiency Improves hemodynamic stability
- Reduces hazardous waste
- Eliminates the need for transducer protectors Reported to lower costs while improving/
- maintaining performance

| High-Flow, 8mm #\$L-2000M2095, StreamLine (666-9063) | . 36/case |
|---|-----------|
| #SL-2000M2095L, Streamline Long, (666-0002) | . 32/case |



MEDISYSTEMS

Reverso®

Clamp Flow Reversing Blood Tubing Designed to help you measure access flow easily, regardless of which blood tubing set you use. Manual methods to measure access flow can be complicated, time-consuming, and require opening the blood system. Reverso offers a better way:

#M8-9001E

- It is a closed system at all times during access flow measurement
- · Flow reversal tests can be repeated as often as needed during the procedure
- Blood pump remains on throughout, reducing clotting risks
- · Flexible: it works with most dialysis configurations and bloodlines
- Correct alignment can be verified visually
- Clear tubing allows clear view of the blood and makes any color change immediately apparent





NiproSet[™] Blood Tubing Designed to enhance safety and efficiency,

with all sets individually prelabeled, based on equipment compatibility. To help ensure the quality you expect, Nipro manufactures a complete line of all tubing components, which are tested according to the FDA specifications. Medication Ports: Large finger guard helps protect user from accidental needlesticks; venous line features multiple medication ports for optimal versatility and choice in medication delivery. Color-Coded Clamps: Patient safety is enhanced with clamps that are color coded for confident identification of the appropriate line.

Transducer Protectors: Factory-applied torque helps prevent loosening or disconnecting of transducer. Engineered to maintain monitoring while decreasing exposure to dialysis machine. **Drip Chambers:** Feature a versatile medication port and for an extra measure of safety.

Antifoaming to minimize splashing. #BL+A203/V801 8-mm Pre-Pump (119-6628)......24/case #BL+A209Y/V803 Fresenius 2008 8-mm Pre-Pump (119-6622)......24/case #BL+A210/V803 Fresenius 2008 8-mm Post-Pump (119-6623).....24/case #BL+A211/V804

Baxter SPS550/1550/Meridan 8mm Post-Pump (119-6629)......24/case #BL+A214Y/805 Universal Line

8mm (no arterial drip chamber) (119-6624).....24/case # BL+A217Y/V806

B. Braun 8mm Post-Pump (119-6625).....24/case #BL+A204/V801

8-mm Post-Pump (119-0086)......24/case

Needlesticks happen every day

Choose MasterGuard®—Safety and peace of mind with MasterGuard® AV Fistula needles with MasterGuard® Protect while you care for your patients.

I've been working in hemodialysis for 40 years, and I've seen every hemodialysis needle safety device that's come along. I can safely say that, for all the right reasons, including safety and ease of cannulation,

MasterGuard is my first and only choice.

I wouldn't use anything else.

- Joe Atkins, RN, MBA, CNN, CHT





masterguard® with fingershield®

A needle for every patient's needs

- Standard Bevel or Long Bevel options
- Fixed or rotating wings
- Gauge sizes 14, 15, 16, 17
- Needle lengths 3/5", 1", 1¼"
- Tubing lengths 8", 12", 16"

For more information, call us today 1-800-369-MEDI



350 Merrimack St. • Lawrence, MA 01843 USA • www.medisystems.com • 1.800.369.MEDI

© 2012 NxStage Medical, Inc. Medisystems, MasterGuard and FingerShield are registered trademarks of NxStage Medical, Inc. CAUTION: Federal law restricts these devices to sale by or on the order of a physician. APM944 Rev. A 1 Data on file, NxStage Medical, Inc.

McCleary J, Caldero K, Guarded Fistula Needle Reduces Needlestick Injuries in Hemodialysis. Nephrology News & Issues, May 2



AV Fistula Needles with MasterGuard® Anti-Stick Needle Protector

- MasterGuard doesn't affect or interfere with site selection, cannulation technique, or tape down
- Only MasterGuard has a FingerShield® anchor to protect the pressure-holding fingers
- Clear MasterGuard allows visualization of the needle point as it exits the patient
- MasterGuard has an audible and tactile click to confirm the needle is locked in place



| HS # | MPN | Strength | 14G | 15G | 16G | 17G | 3/5" Needle | 1" Needle | 1 1/4" Needle | 8" Tubing | 12" Tubing | 16" Tubing | Rotating Hub | Long Bevel |
|----------|-------------|----------------|-----|-----|-----|-----|----------------|--------------|------------------|--------------|---------------|---------------|-----------------|---------------|
| 666-9245 | S9-7004 | 14g x 1" | • | | | | | • | | | • | | | |
| 666-4960 | S9-7004MG | BE CL 14g x 1" | • | | | | | • | | | • | | | |
| 666-6829 | S9-7014MG | CL 14g x 1.25" | • | | | | | | • | | • | | | |
| 666-5841 | S9-7435MG | BE 15g x 3/5" | | • | | | • | | | • | | | | |
| 666-6611 | S9-4005MG | BE CL 15g x 1" | | • | | | | • | | | • | | • | |
| 666-7629 | S9-5005 | 15g x 1" | | • | | | | • | | | • | | | |
| 666-5596 | S9-7005MG | 15G x 1" | | • | | | | • | | | • | | | |
| 666-2236 | S9-7005MGLB | BE CL 15g x 1" | | • | | | | • | | | • | | | |
| 666-7100 | S9-7605MG | BE CL 15g x 1" | | • | | | | • | | | | • | | |
| 666-0153 | S9-4015MG | 15g x 1.25" | | • | | | | | • | | • | | • | |
| 666-9922 | S9-7015MG | CL 15g x 1.25" | | • | | | | | • | | • | | | |
| 666-4582 | S9-7436MG | BE 16g x 3/5" | | | • | | • | | | • | | | | |
| 666-7173 | S9-4006MG | BE CL 16g x 1" | | | • | | | • | | | • | | • | |
| 666-3256 | S9-5006 | 16g x 1" | | | • | | | • | | | • | | | |
| 666-1572 | S9-7006 | 16g x 1" | | | • | | | • | | | • | | | |
| 666-7308 | S9-7006MG | BE CL 16g x 1" | | | • | | | • | | | • | | | |
| 666-7032 | S9-7006MGLB | BE CL 16g x 1" | | | • | | | • | | | • | | | • |
| 666-7606 | S9-7606MG | BE CL 16g x 1" | | | • | | | • | | | | • | | |
| 666-8942 | S9-7016MG | 16G x 1-1/4" | | | • | | | | • | | • | | | |
| 666-9015 | S9-7437MG | BE 17g x 3/5" | | | | • | • | | | • | | | | |
| 666-7048 | S9-4007MG | BE CL 17g x 1" | | | | • | | • | | | • | | • | |
| 666-7269 | S9-5007 | 17G x 1" | | | | • | | • | | | • | | | |
| 666-6120 | S9-7007MG | BE CL 17g x 1" | | | | • | | • | | | • | | | |
| 666-5923 | S9-7017MG | CL 17g x 1.25" | | | | | | | • | | • | | | |

Medisystems Masterguard AVF Twin Packs

| HS # | MPN | Strength | 14G | 15G | 16G | 17G | 3/5" Needle | 1" Needle | 1 1/4" Needle | 8" Tubing | 12" Tubing | 16" Tubing | Rotating Hub | Long Bevel |
|----------|-------------|----------------|-----|-----|-----|-----|----------------|--------------|------------------|--------------|---------------|---------------|-----------------|---------------|
| 666-7673 | D9-2004MG | 14g x 1" TWNPK | • | | | | | • | | | • | | | |
| 666-1731 | D9-2005MG | 15G x 1" | | • | | | | • | | | • | | | |
| 666-0868 | D9-2005MGLB | 15g x 1" TWNPK | | • | | | | • | | | • | | | • |
| 666-1840 | D9-6005MG | BE CL 15g x 1" | | • | | | | • | | | • | | | |
| 666-4428 | D9-2015MG | 15g x 1.25 TWN | | • | | | | | • | | • | | | |
| 666-9369 | D9-2006MG | 16g x 1" TWNPK | | | • | | | • | | | • | | | |
| 666-3000 | D9-2006MGLB | 16g x 1" TWNPK | | | • | | | • | | | • | | | • |
| 666-0676 | D9-2007MG | 17g x 1" TWNPK | | | | • | | • | | | • | | | |
| 666-5311 | D9-2007MGLB | 17g x 1" TWNPK | | | | • | | • | | | • | | | • |





SafeTouch Tulip™ Safety **Fistula Needles**

· Low-profile design

MIPSO

12" Tubing

Specify:

- Ease of use during patient cannulation and needle placement
- · Activation using a one-handed technique
- Audible click indicating protector is locked and will stay locked

Once locked, it stays locked. The only system with

• Permanent locking feature eliminates the worry of accidental needlesticks

Rotating Wing......50/box

Meets OSHA safety requirements

SafeTouch™ II Safety **Fistula Needles**

the following built-in safety advantages:

Textured wings provide secure grip Low-profile system is designed to meet all

OSHA safety requirements

#FS+173230BCR, 17 ga x 1"

#FS+162530BCR, 16 ga x 1"

#FS+152530BCR, 15 ga x 1"

#FS+153230BCR, 15 ga x 11/4"

| Single Packaging | 300/case |
|--|--|
| Specify: #FT+172530BC, 17 ga x 1" #FT+162530BC, 16 ga x 1" #FT+163230BC, 16 ga x 11/4" #FT+152530BC, 15 ga x 1" #FT+153230BC, 15 ga x 11/4" #FT+142530BC, 14 ga x 1" | (119-2034) (119-2032) (119-2033) (119-2029) (119-2031) (119-2030) |
| Twin Packaging Contains: 120 pairs & 10 singles per case. | 250/case |
| Specify: #FT+172530TP, 17 ga x 1" #FT+162530TP, 16 ga x 1" #FT+152530TP, 15 ga x 1" | (119-1921) (119-1920) (119-1918) |

(119-1919)

#FT+142530TP, 14 ga x 1"




| · | |
|--------------------------|------------|
| Fixed Hub | 50/box |
| Specify: | |
| #FS+172530BC, 17 ga x 1" | (116-2753) |
| #FS+162530BC, 16 ga x 1" | (116-2752) |
| #FS+152530BC, 15 ga x 1" | (116-2751) |



ButtonHole® Needle Sets with **SteriPick**

- · Every item comes with the same high-quality Medisystems ButtonHole® needle set as before
- Antistick dull bevel
- · Repeated cannulation of the same site
- Excellent option for the home or self-care patient
- SteriPick provides a highly effective solution for safe removal of the ButtonHole scab
- Sterile, single-use tool with each needle
 Replaces the need for tweezers or other
- separate instruments in removing the scab Designed to lower risk of infection when accessing site




(119-5161)

(119-5160)

(119-5156)

(119-5159)

| iK. |
|------------|
| |
| 250/case |
| |
| (666-4476) |
| (666-6435) |
| (666-3443) |
| (666-4759) |
| (666-3769) |
| e. ` |
| 250/case |
| (666-2318) |
| ngle Packs |
| 250/case |
| 200/0830 |
| (666-1138) |
| (666-1136) |
| (666-1137) |
| 200/case |
| 200/0030 |
| (666-5830) |
| (666-1594) |
| (000 1004) |
| |



MEDISYSTEMS

Standard ButtonHole® Needle Sets

For Constant-Site AV Fistula Access Once the access site has been established for the constant-site technique, the Medisystems ButtonHole needle set can be used. Constant-site technique is an excellent option for the home or self-care patient. ButtonHole AV fistula needle inhibits cutting of the tissue surrounding the established scar tissue tunnel tract.

- Scar-tissue tunnel makes cannulation less
- ButtonHole AV fistula needle reduces the risk of accidental needlesticks

| accidental necalections | |
|---|------------|
| ButtonHole Needles, Dull | |
| 8" Tubing | 250/case |
| #BH-7035, 15 ga x %" | (666-9117) |
| ButtonHole Needles, Dull | |
| 12" Tubing | 250/case |
| Specify: | |
| #BH-7005, 15 ga x 1" | (666-7067) |
| #BH-7015, 15 ga x 1¼" | (666-4570) |
| #BH-7004, 14 ga x 1" | (666-0172) |
| #BH-7014, 14 ga x 1¼" | (666-4769) |
| 16" Tubing | 250/case |
| Specify: #BH-7605, 15 ga x 1" | (666-6790) |
| #BH-7615, 15 ga x 1 ¹ / ₄ " | (666-0444) |
| #DIT-7015, 15 ga x 1/4 | (000-0444) |





BioHole Dull Antistick Needles

- · Prevents cutting of established scar-tissue tunnel
- Minimizes penetration force, which may be associated with less venipuncture pain May decrease infiltration incidents
- May reduce bleeding time postdialysis
 May extend the life of the AV fistula access
- Provides a useful alternative for home hemodialysis and self-cannulation patients With Capick Scab Remover

| Time Capital Coas Homero. | |
|---------------------------|------------|
| Needles | 50/box |
| Specify: | |
| #FD142530BCCP, 14 ga x 1" | (119-0139) |
| #FD52530BCCP, 15 ga x 1" | (119-0140) |
| #FD62530BCCP, 16 ga x 1" | (119-0137) |
| #FD172530BCCP, 17 ga x 1" | (119-0141) |
| | |



MEDISYSTEMS

ViraGuard® Viral Blocking **Patient-Transducer Protector**

Disposable air-filter assembly with a double Luer lock. Helps to protect against both bacterial and viral cross contamination. Features:

- · Exclusive air-flow design for quick response time with fewer false alarms
- Hydrophobic membrane with 0.2-µ effective filter pore size
- Dual Luer-lock fittingsCompliant material helps ensure a secure machine fit for accurate pressure readings and less incidence of wet-out
- Unique design allows increased tightening
- Ridged finger grips for easier handling
 Convenient bulk sterile packaging saves disposable waste

#M8-2006



TP-Sure Transducer Protectors

- Superior sterile pressure-monitoring device prevents cross contamination of fluid pathway
- Inner filter is 0.1 µg, effective as a bacterial and viral barrier
- Individually packagedIndividually capped for aseptic technique #TPSURE+01

(119-9880)......100/box



MEDISYSTEMS

Medic® Plastic Anti-Stick **Needle/Connector**

Engineered to help reduce the risk of accidental needlesticks. It meets the requirements for engineered sharps protection described by OSHA. A safe, easy, cost-effective means of reducing the use of sharps in your clinic.

- · Performs the functions of a traditional needle, with the exception of skin puncture
- Features a precisely shaped tip designed to reduce the risk of accidental needlesticks
- · Can be used with any standard Luer-lock syringe
- Easily accesses drug vials, blood collection tubes, and Medisystems blood tubing injection sites



ICU Medical, Inc.

TEGO® Connector


Never before in dialvsis...a closed system for central venous catheters.

- Microbiologically and mechanically closed connector
- Lower your costsProtect the catheter from contamination
- Flow rates of greater than 600cc/min
- The first nonabrasive exterior
- Ultra small and comfortable for the patient #D1000

(994-0000)......100/case




Intermittent Injection Site 5%". **Non-Latex**



- Standard Luer-lock connection
 Luer fitting ISO 594-1 and 594-2
- Sterile and self-sealing

#MPC-100



B BRAUN

Injection Cap

Intermittent injection cap-proximal injection port, distal male luer-lock connector. DEHP-free. Non-latex. Priming volume: 0.1 mL. Length: 0.75". #418030

(119-7909)......100/box

RKAWASUMI

Injection Caps

- · Low-cost injection site
- Male Luer connector
- Allows clinician to perform multiple injections when attached to a winged infusion set
- Non-latex

#INT-01

(120-9596)......50/box



Luer Lock Caps (Dead End Caps)

Sterile Luer-lock cap (male and female). Use to cap off male or female Luers. These caps are nonvented with no access port.

#MPC-125, Red and Blue

#MPC-125B. Blue

(443-1189)......300/box



B BRAUN

Safsite Replacement Caps

Blue male Luer-lock replacement cap. #418027

(119-2100)......100/box



ANGELINI

See-Luer™ CVC Cap
Designed to reduce the potential risk of contamination of central venous catheters in the hemodialysis population.

- CDC Scrub-the-Hub compliant
- Addresses infection prevention
- Unique design
- Disposable
- Easy to useFDA 510K cleared

#501302

(602-0233)...... 200 sets/box

Hard-surface disinfectants

Alcavis Bleach-Wipes 1:10, 1:50 and 1:100

A consistent, compliant and accurate Concentration of Bleach for Hard-surfaces



- 3 dilutions
- All Epa registered
- Single and double

www.Angelini-us.com 1 (800) 726-2308



Disposable Tube Occludina Forceps

Superior Maxi-Lock System Equipped with a deep grooved superior Maxi-Lock system, which means it will not come off the line unless you take it off. This exclusive Maxi-Lock system ensures you a secure and durable hold every time.

- · Comfortable oval finger holes accommodate gloved hands Smooth jaws won't damage occluded tubing
- Jaws remain aligned when tubing is occluded
 Easy to use, reliable, safe and effective

Holds color—Will not "chalk out"

Premium (Heavy-Duty) Length: 12.4cm (4-7/8")

| Finger Hole Diameter: 2.858cm (1-1/ | 8") |
|-------------------------------------|------------|
| Forceps | 100/bag |
| Specify: | _ |
| #MPC-225, Blue | (443-2258) |
| #MPC-225R, Red | (443-9387) |
| Economy (Lightweight) | , , |
| Length: 11.3cm (47/16") | |
| Finger Hole Diameter: 2.5cm (1") | |
| Forceps | 100/bag |
| Specify: | Ü |
| #MPC-200, Blue | (443-2341) |
| #MPC-200 G, Green | (443-0009) |
| #MPC-200 LB, Light Blue | (443-0008) |
| #MPC-200 Y, Yellow | (477-8492) |
| #MPC-200W, White | (117-3131) |
| #MPC-200R, Red | (117-3128) |
| | |



Fistula Pressure Clamp

- Constructed of durable plastic
- Stainless steel spring won't rust out
 Easy to use, comfortable, lightweight, reliable, safe, and effective
- Designed to cradle patient's arm without pinching
- · Smooth surfaces won't damage or pull patient's skin
- Arms remain aligned when applying pressure Can be easily sanitized using disinfectant protocols
- 100% American made

#MPC 250-10, White

(443-6289)......10/bag



| #MPC-250, Blue (443-0198) | . 10/bag |
|------------------------------|----------|
| #MPC-250XL, Green (125-0754) | . 10/bag |



Dialysis Priming Set

Safer, needleless

administration of ancillary medications.

This priming set featuring a needleless access port is specifically designed for hemodialysis. It features large I.D. tubing for fast, easy flow. The unique spike and chamber are designed to help prevent air bubbles from entering the line. Minimizes the use of sharps and allows user to maintain a closed circuit during hemodialysis. #M4-9440

(666-6388)......200/case







Priming Set

For use in administration of intravenous fluid, with an additional Luer-lock medication pig-tail connection. Clear, non-latex, and sterilized for single use with an easy-to-monitor drip chamber. Individually packaged.

#PS+01

(119-9881).....200/case

ANCILLARY SUPPLIES/WATER TESTING





Recirculation Set-Sterile

Male-to-Male Luer Adapter

Includes 2 dead-end caps. When using a sterile technique, the dead-end caps can be used to cap off the end of fistula needle lines during patient removal for instances such as restroom breaks. #MPC-150

(443-6697)......100/bag



Argyle™ Peritoneal Dialysis **Beta-Cap Clamps**

Allows for proper insertion and management of peritoneal dialysis catheters. Used to clamp the peritoneal catheter tubing when not in use. Sterile. #8810805001



COVIDIEN

Argyle™ Peritoneal Dialysis **Beta-Cap Adapters**

These adapters form a tight closure with standard CAPD transfer sets, or connect to a sealing cap. The Beta-Cap adapter is made of Ultem™ resin. Sterile.

#8814661001

(890-0139)......25/case



Medical Grade Silicone Adhesive

This sterile adhesive is used for:

- · Bonding felt cuffs to the catheter
- Repairing damaged catheters
- Extending the length of existing catheters

#8810807001

(890-1991).....ea



Quinton™ Peri-Patch™ Repair Kit

Use an Argyle™ Peritoneal Catheter Repair Kit to replace the external portion of a damaged catheter and eliminate the need for catheter replacement. All components are sterile. Kits are double packaged; the inner package can be placed directly on a sterile field. #8888285001

(**890-4256**).....ea

Note: Order adhesive using code 890-1991 (Mfr. #8810807001).



Ned-Chest® Catheter Installation Trainer

- · Unlimited practice to develop competence and self-confidence without risk to the patient
- Stands independently, can be used in either a horizontal or vertical position, and can be easily mounted for display
- Coated surface resists tape residue, betadyne stains, and the effects of alcohol and other cleaners
- Comes with a durable fabric bag for easy transport and convenient storage
- · Training aid for instruction in site care, heparin irrigation, IV bag hook-ups, principles of asepsis, and techniques to prevent the development of an air embolus

#4030600

(658-0238).....ea



Veni-Dot® Fistula Arm and **Graft Arm**

- · Many opportunities for practice
- · Realistic simulation of the density and texture of the human arm
- Adjustable difficulty
- Two veins of different sizes and adjusted difficulty levels
- Immediate feedback after each puncture
- · Reusable simulated blood treated to retard fungal growth
- A case which doubles as a stand, allowing practice anywhere
- A low-cost way to reinforce classroom instruction #4030420. Fistula Arm

(658-0237).....ea #4030430. Graft Arm (658-0236).....ea















Dialysis Test Strips for Disinfectants and Water Quality

Test for low concentation of chloramines and/or free chlorine (total chlorine) in post-carbon feed water used to make dialysate. Also tests for residual bleach in the rinse water after disinfecting dialysis machines.

Guardian™ BiCarb pH II

Determine the pH in concentrated bicarb solution or final dialysate.

(649-0001)......500/kit Contains: 100 strips per bottle; 5 bottles per kit.

Guardian™ Blood Leak

Confirm the presence or absence of blood in dialysate if a blood leak alarm is activated. (649-0005)......50/kit

Contains: 25 strips per bottle; 2 bottles per kit.

Guardian™ Peracetic Acid

Test for effective concentration of peracetic acid/ peroxide-based disinfectants in reprocessed dialyzers after storage and prior to rinsing (649-0003)......600/kit

Contains: 100 strips per bottle; 6 bottles per kit.

Periscreen™

Test for the presence of leukocytes in peritoneal dialysate effluent, providing a presumptive indication of peritonitis.

(649-0006)......10/btl

Contains: 10 strips per bottle.

Guardian™ Residual Chlorine

Test for residual bleach in the rinse water after disinfecting dialysis machines.

(649-0002)......600/kit

Contains: 100 strips per bottle; 6 bottles per kit.

Guardian™ Residual Peroxide

Test for effective concentration of peracetic acid/ peroxide-based disinfectants in dialyzers after rinsing and/or rinse water after disinfecting HD machines

(649-0004)......600/kit Contains: 100 strips per bottle; 6 bottles per kit.

Guardian™ Water Hardness

Determine low levels of hardness (as CaCO₃) in feed water and water at the postsoftener stage.

Monitor for pH 0–14

Indicates the pH of water in the extended range of 0 - 14(649-0007)......100/box Contains: 100 strips per box.





Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards). © 2016 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products. †For informational purposes only. Source: ReimbursementCodes.com and/or www.cms.gov. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

16LS6156